

	Type	Hits	Search Text	DBs	Time Stamp
1	IS&R	4498	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 07:44
2	BRS	80	S1 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 15:16
3	BRS	4	S2 and brake and shaft	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 08:15
4	IS&R	4498	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 08:15
5	BRS	5	S6 and brake	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 08:16
6	BRS	80	S5 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 08:48
7	BRS	5	S6 and (braking adj mechanism)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 08:49
8	BRS	13	("0817220"   "0924412"   "1206824"   "5016849"   "5168423"   "5206790"   "5335142"   "6275376"   "6397433"   "6517129").PN.	US-PGPUB; USPAT; USOCR	2005/05/31 12:55

	Type	Hits	Search Text	DBs	Time Stamp
9	IS&R	830	(16/255-258).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 12:55
10	BRS	94	S10 and (brake or friction or biasing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 14:14
11	BRS	83	S11 and spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 12:57
12	IS&R	830	(16/255-258).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 14:15
13	BRS	37	S13 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 14:15
14	IS&R	4498	(361/680,681,683).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 14:16
15	BRS	80	S15 and display and (second near axis) and hinge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 14:16
16	BRS	21	S16 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 14:16

	Type	Hits	Search Text	DBs	Time Stamp
17	IS&R	2	("20040105227").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2005/05/31 15:17